

EAST Search History

S10	9	S9 and @ad<"20020304"	US-PGPUB; USPAT	OR	OFF	2007/04/18 15:04
-----	---	-----------------------	--------------------	----	-----	------------------


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Ac](#)
[Sc](#)
[Sc](#)

Scholar [All articles](#) [Recent articles](#) Results **31 - 40** of about **164** for **xslt script generate OR generation**. (C

All Results

[S Crane](#)field

[H Su](#)
[J Grundy](#)
[E Rundensteine...](#)
[A Bonifati](#)

[Active page generation via customizing xml for data beans in e-commerce applications - group of 3 »](#)

L Chen, E Rundensteiner, A Ally, R Chen, W Kou - Proceedings of the Second International Symposium on Topics ..., 2001 - Springer

... to the back-end data model, and JSP as the server-side-include **script** language able to ... However, the DTD **generation** needs to **generate** element declarations ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

[Preservation of digital data with self-validating, self-instantiating knowledge-based archives - group of 13 »](#)

B Ludäscher, R Marciano, R Moore - ACM SIGMOD Record, 2001 - portal.acm.org

... During archival management, ie, at migration or dissemination time, KPs can be used to verify that e.g., SAX, XPath, XQuery, **XSLT** 58 ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

[VISUAL DESIGN VERSUS DEVELOPMENT: A CASE STUDY PRESENTING HOW XML AND XSLT CAN SEPARATE PRESENTATION ...](#)

DR NAIR - 2001 - fulltext.fcla.edu

... changes to the HTML forms, a CGI **script** extracts the ... with **XSLT**, changes can be made

to the user interface ... programmer can **generate** the tags used to describe the ...

[View as HTML](#) - [Web Search](#) - [Library Search](#)

[Mobile commerce for financial services---killer applications or dead end?](#)

M Semrau, A Kraiss - ACM SIGGROUP Bulletin, 2001 - portal.acm.org

... toolkits for conventional programming languages, **script** languages, and ... Standard Device

class for the **generation** of a ... Figure 2. **XSLT**-based Transcoding Framework ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Distributed and scalable XML document processing architecture for E-commerce systems](#)

D Cheung, SD Lee, T Lee, W Song, CJ Tan - Advanced Issues of E-Commerce and Web-Based Information ..., 2000 - ieeeexplore.ieee.org

... A **script** file is a XML document which contains the descriptions on how to make (or **generate**) a list of ... submit") to a TM or transformed using **XSLT** (in the ...

[Related Articles](#) - [Web Search](#)

[Transforming XML With SAX Filters](#)

K Hampton - XML.com XML from the Inside Out, 2001 - xml.com

... that meet some other condition), while in other cases, a filter might **generate** its own ... When the **script** is executed, the parser will call its SAX events on the ...

[Cited by 2](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[The current state of the art of schema languages for XML - group of 2 »](#)

R Jelliffe - Presentation at XML Asia Pacific, Sidney, Australia, 2001 - planetpublish.com

... discipline (rather than, say, schema languages for application **generation**). ... [meta;
script];] body [p ... given the widespread availability of **XSLT** implementa- tions ...
[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

Haskell and XML: generic combinators or type-based translation? - group of 19 »

M Wallace, C Runciman - ACM SIGPLAN Notices, 1999 - portal.acm.org
... of combinators for generic processing: selection, **generation**, and transformation ...
a new document (eg the **script** in Figure ... ilar patterns are used in **XSLT**, an XML ...
[Cited by 160](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Using XML for Representation and Visualization of Elaborated VHDL-AMS Models - group of 5 »

T Karayiannis, J Mades, T Schneider, A Windisch, W ... - Proceedings of the VHDL International Users Forum Fall ..., 2000 - doi.ieeecomputersociety.org
... 1. XST/**XSLT** [9] This is a style-sheet language pro- posed by the W3C [10]. ... We chose XML **Script** for the **generation** of the the HTML output. ...
[Related Articles](#) - [Web Search](#)

WWW Unplugged: An HTML to WML Transcoding Proxy - group of 2 »

R Dugas - Yale University, Computer Science Department, http://zoo.cs ..., 2001 - zoo.cs.yale.edu
... ability of an automatic converter to **generate** pages navigable ... only to occasionally confuse the **XSLT** processor later ... Handling **script** is beyond the scope of this ...
[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

xslt script generate OR generation

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[AbstractPlus](#)


[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[View TOC](#)

Access this document

 Full Text: [PDF](#) (1473 KB)

Download this citation

Choose [Citation & Abstract](#)

Download [ASCII Text](#)

[Download](#)

[» Learn More](#)

[Rights and Permissions](#)

[» Learn More](#)

Generating EDI message translations from visual specific

[Grundy, J.](#) [Mugridge, R.](#) [Hosking, J.](#) [Kendall, P.](#)
Dept. of Comput. Sci., Auckland Univ., New Zealand;

This paper appears in: [Automated Software Engineering, 2001. \(ASE 2001\). Proceedi
International Conference on](#)

Publication Date: 26-29 Nov. 2001 ✓

On page(s): 35- 42

ISSN: 1527-1366

ISBN: 0-7695-1426-X

INSPEC Accession Number: 7169385

Posted online: 2002-08-07 00:03:52.0

Abstract

Electronic data interchange (EDI) systems are used in many domains to support inter-org information exchange. To get systems using different EDI message formats to communicate message translations (where data must be transformed from one EDI message format in required. We describe a visual language and support environment which greatly simplify systems integrator by using a domain-specific visual language to express data formats in complex message translations are automated by an underlying transformation engine. A motivation for this system, its key visual language and transformation engine features, a environment, and experience translating it into a commercial product.

Index Terms

Inspec

Controlled Indexing

[electronic data interchange](#) [electronic messaging](#) [formal specification](#) [hyperr
languages](#) [visual languages](#)

Non-controlled Indexing

[EDI message formats](#) [EDI message translation generation](#) [EDI systems](#) [XML
product](#) [complex message translations](#) [data formats](#) [domain-specific visual la
electronic data interchange systems](#) [format translations](#) [inter-organisational int
exchange](#) [key visual language](#) [prototype environment](#) [support environment
integrator](#) [transformation engine](#) [transformation engine features](#) [visual langua
specifications](#)

Author Keywords

Not Available

References

No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEEExplore.

[View TOC](#) | [Back to Top](#)